



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A23C 9/152	A1	(11) International Publication Number: WO 00/64267 (43) International Publication Date: 2 November 2000 (02.11.00)
<p>(21) International Application Number: PCT/EP00/01740</p> <p>(22) International Filing Date: 28 February 2000 (28.02.00)</p> <p>(30) Priority Data: 09/300,705 26 April 1999 (26.04.99) US</p> <p>(71) Applicant (for all designated States except US): SOCIETE DES PRODUITS NESTLE S.A. [CH/CH]; P.O. Box 353, CH-1800 Vevey (CH).</p> <p>(72) Inventors; and (75) Inventors/Applicants (for US only): SHER, Alexander [US/US]; 5005 Hancock Dr., Danbury, CT 06811 (US). MALLANGI, Chandrasekhara, Reddy [US/US]; 2 Briar Lane, New Milford, CT 06776 (US). JACOBSON, Mark, Randolph [US/US]; 27 Candlewood Springs, New Milford, CT 06776 (US). VADEHRA, Daram, Vir [US/US]; 6 Hallets Road, New Milford, CT 06776 (US). WEDRAL, Elaine, Regina [US/US]; RR 2, P.O. Box 480A, Chestnut Hill Road, Sherman, CT 06784 (US).</p> <p>(74) Agent: PATE, Frederick, George; Avenue Nestlé 55, CH-1800 Vevey (CH).</p>	<p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published With international search report.</p>	
(54) Title: SHELF-STABLE CALCIUM FORTIFIED MILK AND DAIRY PRODUCTS		
<p>(57) Abstract</p> <p>A calcium-fortified milk or dairy-based product comprising a calcium source and a food-grade polyphosphate having at least six phosphate groups.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

SHELF-STABLE CALCIUM FORTIFIED MILK AND DAIRY PRODUCTS

5 FIELD OF THE INVENTION

The present invention relates to the calcium-fortified foodstuff and more particularly to the shelf-stable milk fortified with calcium.

10

BACKGROUND OF THE INVENTION

Calcium is an important element in human diets for adequate bone formation and maintenance as well as other metabolic functions, e.g. nerve transmission, blood clotting, proper cell function and muscle contraction. It is common practice to fortify food products with calcium sources, which are either insoluble or soluble at around neutral pH. Many of the calcium sources currently used for fortification which are insoluble or substantially insoluble at around neutral pH, e.g. calcium carbonate, calcium phosphates, calcium citrate and other organic or inorganic acid salts of calcium, result in precipitation and a chalky mouth feel. Other calcium sources, which are soluble or substantially soluble at around neutral pH such as calcium chloride, calcium hydroxide and a few organic acid salts of calcium, react with milk proteins resulting in undesirable coagulation and gelation.

It is also common practice to stabilize or reduce the sedimentation of the calcium and milk proteins in the milk beverages fortified with calcium sources by adding guar gum, pectins and/or other gums, but such materials impart an undesirably high viscosity to milk. Protein destabilisation, e.g. gelation, coagulation and precipitation, is mainly attributed to free calcium ions in the system.

30

It is highly desirable to have a calcium source to fortify milk, casein or whey containing beverages and other dairy based products without coagulation, gelation and sedimentation. It is also important that these calcium-fortified products have good palatability and no bitterness or off-flavor.

35

Addition of calcium to liquid products, especially milk and milk beverages is very difficult. Firstly, highly soluble sources of calcium (calcium chloride, etc.) interact with milk proteins leading to their coagulation during process treatment even at pasteurization temperature. Secondly, insoluble sources of calcium will not destabilize protein micelles which however will precipitate rapidly. Thirdly, addition of calcium can change the equilibria between the free and colloidal form of calcium in milk leading to cross-linking of proteins that can cause problems due to gelation.

The major problem for shelf stable milk is age gelation. In spite of a number of detailed studies on this defect, a unifying theory on the mechanisms of age gelation has not been established. According to some evidence, proteolysis by native and/or bacterial heat resistant proteases causes the age gelation; other studies point to a mechanism involving purely physico-chemical reactions, or a combination of enzymatic and physico-chemical processes. No studies to prevent age gelation of milk or dairy products fortified with calcium have been found in the literature.

In our co-pending U.S.S.N. 09/113,401 there is claimed a fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium carbonate stabilized with a source of glucuronic acid. This calcium-fortified milk can survive the heat treatment (pasteurization, UHT pasteurization and UHT sterilization, autoclaving) and storage at refrigerated conditions without coagulation and sedimentation for a 2-month period. No bitterness or off-flavor were found in this calcium fortified milk. However, age gelation was evident after 2-2.5 months storage at room temperature

It would be highly desirable to have a shelf-stable calcium-fortified milk or dairy based product without age gelation, preferably with improved palatability.

SUMMARY OF THE INVENTION

We found that the use of food-grade polyphosphates having at least six phosphate groups, such as sodium hexametaphosphate (NaHMP), in calcium-fortified milk and dairy-based products prevents age gelation of UHT treated milk for a period of up to 6 months storage at room temperature.

According to the present invention, there is provided a calcium-fortified milk or dairy-based product comprising a calcium source and a food-grade polyphosphate having at least six phosphate groups.

DETAILED DESCRIPTION OF THE INVENTION

The calcium source may be, for example, calcium-hydrolyzed pectin, calcium-negatively charged emulsifier (e.g., citrem), calcium lactate-citrate metastable complex or a balanced blend of calcium lactate and calcium carbonate.

The amount of the blend of calcium salts present in the fortified foodstuff may be from 0.05 to 5%, preferably from 0.1 to 1%, and more preferably from 0.2 to 0.4% by weight based on the weight of the foodstuff.

In the case where a balanced blend of calcium lactate and calcium carbonate is used, a source of glucuronic acid is also present. When a balanced blend of calcium lactate and calcium carbonate is used, the weight ratio of calcium lactate to calcium carbonate may be from 1:2 to 3:1 and preferably from 1:1.7 to 1:1.9.

The food-grade polyphosphate having at least six phosphate groups may be, for instance, an alkali metal or ammonium polyphosphate which may be a cyclic polyphosphate, preferably a sodium or potassium polyphosphate. Especially preferred is sodium hexametaphosphate.

The amount of food-grade polyphosphate having at least six phosphate groups present in the fortified foodstuff should be an amount sufficient to inhibit age gelation and may be from 0.05 to 0.3%, preferably from 0.1 to 0.2%, and more preferably from 0.12 to 0.15 % by weight based on the weight of the foodstuff.

The dairy-based product may be a milk beverage, e.g., chocolate milk, or other beverages such as juices. If desired, other minerals or vitamins may be present in the foodstuff.

The source of glucuronic acid may be gum ghatti but is preferably gum arabic. The amount of gum arabic present in the fortified foodstuff may be from 0.05 to

2.5%, preferably from 0.1 to 1.0%, and more preferably from 0.2 to 0.5% by weight based on the weight of the foodstuff. Although not wishing to be bound by theory, we believe that the glucuronic acid residues in gum arabic aid in suspending calcium by ionic binding without contributing significantly to viscosity.

Advantageously, a carrageenan may be present which may be the lambda- or iota-form but is preferably kappa-carrageenan. The amount of carrageenan present in the fortified foodstuff may be from 0.005 to 0.1%, preferably from 0.01 to 0.05%, and more preferably from 0.01 to 0.03% by weight based on the weight of the foodstuff.

The ingredients can be added to the milk base individually or as a blend. The milk can then be UHT treated without any additional pre-process (e.g., adjustment of solids) and pre-heat treatment.

The fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium together with a source of glucuronic acid may be prepared by mixing of the balanced blend of calcium lactate and calcium carbonate with the food-grade polyphosphate having at least six phosphate groups, adding a source of glucuronic acid, and adding to the foodstuff.

The balanced blend of calcium lactate and calcium carbonate and the source of glucuronic acid may be added in the form of aqueous suspensions or as dry powders.

An alkaline agent is preferably added to adjust the pH of the Calcium fortified milk to 6.8-7.0. Any food grade alkaline agent may be used for neutralization, including but not limited to sodium hydroxide, potassium hydroxide, ammonia hydroxide, magnesium hydroxide, sodium carbonate, sodium bicarbonate, potassium carbonate, and potassium bicarbonate.

Advantageously, a carrageenan may be added to the foodstuff, preferably before the balanced blend of calcium lactate and calcium carbonate (or calcium - hydrolized pectin or calcium - citrem or calcium lactate-citrate metastable complex) together with the food-grade polyphosphate having at least six

phosphate groups is added to the foodstuff. The carrageenan may also be added to the foodstuff in the form of an aqueous suspension or as a dry powder.

If desired, the balanced blend of calcium lactate and calcium carbonate, the source of glucuronic acid, and optionally the carrageenan, and the food-grade polyphosphate having at least six phosphate groups may be mixed together and added as a powder.

It was found in our work on UHT sterilized calcium fortified skim milk aseptically filled into 133 mL glass jars, that addition of the food-grade polyphosphate having at least six phosphate groups prevented age gelation during 6 months of storage at room temperature. Results evaluation of calcium fortified skim milk (with and without addition of sodium hexametaphosphate) during the storage at room temperature are presented in the following Table:

Composition of Ca-milk	Storage time (month)					Storage time (month)					Storage time (month)		
	1	2	4	5	6	1	2	4	5	6	4	5	6
	Brookfield viscosity (cP)					Visual gelation					Sediment (dry weight)		
Without NaHMP	11.3	16.5	32.5	52.5	99.1	1	7	10	10	10	0.09	1.39	5.61
With NaHMP (0.075%)	3.7	5.0	4.5	4.5	5.3	0	0	0	0	0	0.050	0.050	0.050
With NaHMP (0.180%)	5.0	4.5	6.5	5.4	5.3	0	0	0	0	0	0.040	0.020	0.020

* Sediment weight was determined from sediment weight after centrifugation at 1800 g for 5 min and drying of resulting pellet at room temperature overnight

** Visual gelation was observed using 0 – 10 score scale, where 0 corresponds to no gelation, while 10 corresponds to whole volume strong gel

Therefore, no gelation (and no significant increase in viscosity) was found in Ca-milk with added sodium hexametaphosphate (NaHMP) upon the storage when compared to sample without NaHMP.

Further, no protein coagulation, salt precipitation or off-flavor was found. Similar data were obtained with calcium fortified 2% fat milk filled in 250 mL Tetra Brik® Aseptic packages (Tetra Pak Inc., Chicago) with addition of hexametaphosphate. Calcium fortified milk with added hexametaphosphate was found to be stable, without gelation during 6 months of storage at room temperature, while samples without hexametaphosphate already became gelled after 2-2.5 months storage at room temperature.

The following Example further illustrates the present invention

EXAMPLE

5 **Calcium fortified skim milk**

(Ca level: 50% more than in regular skim milk)

12.0 g of kappa carrageenan and 200 g of gum Arabic are slowly added to 10 kg
of skim milk in a liquifier under agitation and mixed for 5 minutes at high speed.
10 Then 70 kg of skim milk is added to the liquifier under agitation.

61.6 g of calcium lactate pentahydrate, 100.0 g of micronized calcium carbonate,
and 120.0 g of sodium hexametaphosphate are added to the milk with carrageenan
and gum arabic under agitation, then speed of the liquifier is slowed down. After
15 10 minutes of mixing, the pH of calcium fortified milk is adjusted with 10%
potassium hydroxide solution to 6.8-6.9.

The milk is preheated to 175°F, ultra high temperature (UHT) treated at 298°F for
5 sec by steam injection, flash cooled to 175°F, and homogenized at 175°F and a
20 pressure of 2500/500 psi. The milk is cooled to 40 °F, aseptically filled in 133 mL
glass jars and stored at room temperature for 6 months.

After 6 months the product was judged by a taste panel of 5 people, who found the
milk to be stable, without gelation, sedimentation or coagulation, and of good
25 flavor.

CLAIMS

1. A calcium-fortified milk or dairy-based product comprising a calcium source and a food-grade polyphosphate having at least six phosphate groups.
2. A calcium-fortified milk or dairy-based product according to claim 1 wherein the calcium source is a calcium-hydrolyzed pectin, calcium-citrem, calcium lactate-citrate metastable complex or a balanced blend of calcium lactate and calcium carbonate
3. A calcium-fortified milk or dairy-based product according to claim 1 wherein the amount of the blend of calcium salts present in the fortified foodstuff is from 0.05 to 5% by weight based on the weight of the foodstuff.
4. A calcium-fortified milk or dairy-based product according to claim 2 wherein, in the case where a balanced blend of calcium lactate and calcium carbonate is used, a source of glucuronic acid is also present.
5. A calcium-fortified milk or dairy-based product according to claim 2 wherein, in the case where a balanced blend of calcium lactate and calcium carbonate is used, the weight ratio of calcium lactate to calcium carbonate is from 1:2 to 3:1.
6. A calcium-fortified milk or dairy-based product according to claim 1 wherein the amount of the food-grade polyphosphate having at least six phosphate groups present in the fortified foodstuff is from 0.05 to 0.3% by weight based on the weight of the foodstuff.
7. A calcium-fortified milk or dairy-based product according to claim 1 wherein the food-grade polyphosphate having at least six phosphate groups is sodium hexametaphosphate.
8. A calcium-fortified milk or dairy-based product according to claim 4 wherein the source of glucuronic acid is gum arabic.

9. A calcium-fortified milk or dairy-based product according to claim 8 wherein the amount of gum arabic present is from 0.05 to 2.5% by weight based on the weight of the foodstuff.
- 5 10. A calcium-fortified milk or dairy-based product according to claim 1 wherein a carrageenan may be present.
- 10 11. A process for preparing a calcium-fortified milk or dairy-based product which comprises adding the calcium source and the food-grade polyphosphate having at least six phosphate groups to the milk base individually or as a blend.
- 15 12. A process for preparing a calcium-fortified milk or dairy-based product which comprises mixing a balanced blend of calcium lactate and calcium carbonate with the food-grade polyphosphate having at least six phosphate groups, adding a source of glucuronic acid, and adding to the foodstuff.
- 20 13. A process according to claim 12 wherein the balanced blend of calcium lactate and calcium carbonate and the source of glucuronic acid are added in the form of aqueous suspensions or as dry powders.
- 25 14. A process according to claim 11 wherein an alkaline agent is added to adjust the pH of the calcium fortified milk or dairy-based product to 6.8-7.0.
- 15 15. A process according to claim 12 wherein the balanced blend of calcium lactate and calcium carbonate, the source of glucuronic acid, and optionally a carrageenan, and the food-grade polyphosphate having at least six phosphate groups may be mixed together and added as a powder.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 00/01740

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23C9/152

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, FSTA, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 446 529 A (HALL LABORATORIES)	1,3,6,7, 11
Y	column 2, line 37 - line 57; claims 1-7	2,4,5,8, 9
X	AU 88768 82 A (COMW SCIENT IND RES ORG) 21 April 1983 (1983-04-21) claims 1-5	1,3,6,7, 11
X	EP 0 832 564 A (NESTLE SA) 1 April 1998 (1998-04-01) column 1, line 40 - line 45	1,3,6,7, 11
Y,P	WO 00 02462 A (NESTLE SA ;FUCHS EILEEN CAROL (US); MALLANGI CHANDRASEKHAR R (US);) 20 January 2000 (2000-01-20) claims 1-14	2,4,5,8, 9
	--- -/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"B" document member of the same patent family

Date of the actual completion of the international search

29 June 2000

Date of mailing of the international search report

12/07/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Desmedt, G

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 00/01740

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 875 153 A (NESTLE SA) 4 November 1998 (1998-11-04) claims 1-6; examples 1-3 -----	2

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 00/01740

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 446529 A		NONE	
AU 8876882 A	21-04-1983	NONE	
EP 0832564 A	01-04-1998	AU 3746097 A BR 9704692 A CA 2213869 A CN 1176745 A JP 10084910 A NO 974140 A NZ 328681 A US 5897892 A ZA 9707623 A	19-03-1998 05-01-1999 11-03-1998 25-03-1998 07-04-1998 12-03-1998 24-09-1998 27-04-1999 25-02-1999
WO 0002462 A	20-01-2000	US 6039986 A AU 4512899 A	21-03-2000 01-02-2000
EP 0875153 A	04-11-1998	US 5928691 A AU 6372598 A BR 9801181 A CA 2233353 A CN 1199574 A JP 10327806 A NO 981850 A	27-07-1999 05-11-1998 11-01-2000 01-11-1998 25-11-1998 15-12-1998 02-11-1998